



F5-Networks

Exam Questions 101

Application Delivery Fundamentals

About ExamBible

[Your Partner of IT Exam](#)

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

What describes the third "A" in the common authentication acronym AAA?

- A. provides redundancy
- B. measures usage against an identity
- C. provides user filtered access
- D. ensures the correct identity

Answer: C

NEW QUESTION 2

in which scenario is a full proxy TCP connection required?

- A. when DNS load balancing is performed
- B. When source NAT is demanded
- C. when the client source IP address is sent to the server
- D. when the client and server connection are decoupled

Answer: D

NEW QUESTION 3

What are the two primary functions of the OSI 7 layer model (Choose two)

- A. to guide interoperability between products made by different vendors
- B. to define protocol behavior
- C. to group communications into logical layers
- D. to define specifications of host-to-host communications
- E. to standardize HTTP communications between different vendors

Answer: AB

NEW QUESTION 4

in which scenario is a full proxy required?

- A. When a separation between client and server connection is needed
- B. When administration directly access the servers for administration
- C. when the server sends the response through the load balancer
- D. when all TCP client parameters must be seen by the server

Answer: A

Explanation:

Reference <https://devcentral.f5.com/articles/three-things-your-proxy-can-do-unless-its-a-full-proxy>

NEW QUESTION 5

An administrator sets up a web server for a new web application. The administrator cannot access the web server and is causing this issue?

- A. The HTTP service only listens on localhost
- B. The users IP needs to be allowed to access
- C. The server needs to be restarted
- D. The HTTPS service Is not running

Answer: A

NEW QUESTION 6

A BIG-IP Administrator wants to send packets from one subnet to another. What device is required to allow this to function?

- A. switch
- B. Router
- C. HUP
- D. Bridge

Answer: B

NEW QUESTION 7

Client A from the 192. 162. 168.0. 0 0/24 network wants to send a Ping to Client B on 10.10.10..0/24.

The Default Gateway from Client A IS 192.168.0. 1

The MAC Address of Client A is00 11. 11. 11. 11

The MAC Address of client B is 00.22 22.22.22

The MAC Address of Default Gateway is 00. 33.33. 33. 33

What is the destination MAC Address of the ping packet when it leaves client A interface card?

- A. 00. 11. 11. 11. 11
- B. f1. f1. f1. f1. f1
- C. 00.33. 33. 33. 33
- D. 00. 22. 22. 22. 22

Answer: C

NEW QUESTION 8

HTTPs traffic is not working properly. What is the likely reason for the issue?

- A. 0. 0 0.0 0 is an invalid address in netstat.
- B. 0. 0. 0. 0.0 80 should be in an active stale
- C. The server is not listening on TCP 443
- D. The server is not listening on UDP 80

Answer: C

NEW QUESTION 9

What is the primary function of a certificate authority?

- A. to expire outdated certificates
- B. to verify and validate certificates
- C. to store security certificates
- D. to sign certificate signing requests

Answer: D

Explanation:

https://enWikipedia.org/wiki/Certificate_authority

NEW QUESTION 10

An organization needs to cryptographically sign its domains. Which F5 product provides this functionality?

- A. GTM
- B. LTM
- C. ASM
- D. APM

Answer: A

Explanation:

<https://devcentral.f5.com/articles/the-tNg-ip-gtm-configuring-dnssec>

NEW QUESTION 10

The users in a company are unable to send and receive SMTP e-mails using the BIG-IP Virtual Server. The administrator logs into the BIG IP device to verify if the mail pool member with an IP address of 192. 168. 10. 100. 18 is serving SMTP traffic. Which command on the BIG-IP device should the administrator use to verify the traffic?

- A. tcpdump - 0 0 host 192 168 10 100 and port 143
- B. curf - 1 smtp1/192 168 10 100
- C. lcpdurnp - 0:0 host 192. 168. 10. 100 and port 25
- D. telnet 192. 168. 10. 100. 143

Answer: C

NEW QUESTION 11

Which type of certificate is pre-installed in a web browser's trusted store?

- A. Root Certificate
- B. Server Certificate
- C. Client Certificate
- D. intermediate Certificate

Answer: A

NEW QUESTION 13

Which IP subnet mask can be used to send traffic to all network nodes?

- A. 192 168.0. 255/23
- B. 192. 168. 1. 11/31
- C. 172. 16. 1255/22
- D. 192. 168. 0. 11/30

Answer: D

NEW QUESTION 18

What should the administrator investigate first to address this traffic slownes

- A. The virtual server indicates 14 slow connections killed
- B. The pool member is unchecked
- C. Interface 1.2 shows 9.2K errors
- D. The pool shows no current connections.

Answer: C

NEW QUESTION 22

What is the next hop used to send traffic to reach 192.168.1.50?

- A. 172. 17. 12. 51
- B. 192. 168. 150
- C. 172. 17. 12.254
- D. 172. 17. 12/ 255

Answer: C

NEW QUESTION 27

What is an advantage of a packet forwarding architecture?

- A. allows for manipulation of HTTP headers
- B. allows for SSL offload
- C. reduces latency
- D. handles larger packet sizes

Answer: C

NEW QUESTION 29

A BIG-IP Administrator needs to upgrade an HA pair to a more recent TMOS version. The administrator is unsure if the BIG-IP is currently supported. How should the administrator verify that the HA pair is under a valid support contract?

- A. confirm that License OK" is set to yes in the applied license
- B. confirm that the "Service Check Date" specified in the applied license has not passed
- C. Check the status of the license under the Platform menu of the F5 Configuration Utility
- D. review /var/log/license for messages that indicate an expired license

Answer: C

NEW QUESTION 34

What is a primary reason to choose hardware over virtual devices?

- A. failure isolation
- B. HA capabilities
- C. management capabilities
- D. SSL performance

Answer: D

NEW QUESTION 38

User A and User B's workload are on the same VLAN, but connected through a transparent layer 2 bridge in use B's ARP table. Which MAC address is reported for user A's workstation?

- A. The physical port MAC address on the bridge for user A's workstation
- B. The MAC address of the L2 bridge
- C. The MAC address of User A's workstation
- D. The physical port MAC address on the bridge for user B's workstation

Answer: D

NEW QUESTION 43

Ethernet frame FCS errors occur when which calculation fails?

- A. FSCM
- B. CRC
- C. CSR
- D. HSTS

Answer: B

NEW QUESTION 44

What are two advantages of using SSL offloading? (Choose two)

- A. Offloads the client to SSL processing
- B. provides single point of management for private keys
- C. reduces server load significantly
- D. encrypts all communications and to end
- E. allows secure remote access to internal server resources

Answer: BC

NEW QUESTION 48

which version of SNMP can AuthPriv be used?

- A. 2
- B. 3
- C. 2c
- D. 3c

Answer: B

NEW QUESTION 49

10:20: 37 .00749:IP 199.16.255.254.36664>10.0.1.10 http : flags (s) seq 700424862, Win 29200

A website is fronted by a load balancer that implements a full proxy architecture with SNAT enabled. Behind the load balancer there are two nodes: Node 1 and node2.

The administrator is debugging an issue on node 1 using tcpdump and records the above output about a received packet. What device does the IP address 192.168.255.254 belong to?

- A. node2
- B. node 1
- C. load balancer
- D. web Client

Answer: C

NEW QUESTION 50

in which scenario is a full proxy TCP connection required?

- A. when IP Anycast is enabled
- B. when routing is enabled
- C. when the number of TCP connections to the server must be optimized
- D. when the client TCP connection options must be sent to the server

Answer: C

NEW QUESTION 52

When using LDAP for authentication, what is the purpose of the base DN?

- A. the search context starting point
- B. the directory's simple name
- C. the base attribute in an LDAP directory
- D. the fundamental naming convention

Answer: A

NEW QUESTION 55

In the context of load balancing, what does the term "persistence" refer to?

- A. Ensuring requests from a single source always end up being handled by the same server.
- B. the ability to associate different HTTP requests to a single user so that activity can be tracked.
- C. Keeping TLS session key information in memory so sessions can be quickly resumed
- D. the ability to keep idle connections open as long as possible by sending dummy traffic periodically

Answer: A

NEW QUESTION 59

An administrator suspects that a BIG-IP appliance is experiencing performance issues due to spikes in CPU usage. The administrator checks the performance issues dashboard and sees spikes in CPU usage. The performance report in the BIG-IP UI shows CPU spikes are evident in the graphs. Which section in the BIG-IP UI can the administrator check to troubleshoot the issue further?

- A. Statistics > Utilization
- B. System > Utilization
- C. Statistics > Dashboard
- D. System > Services

Answer: C

NEW QUESTION 61

An administrator notices the following log message generated by a BIG IP system " diskmonitor 011d005: Disk partition shared has less than 30% free" Which command should the administrator use to troubleshoot the problem?

- A. parted-1
- B. fdisk-1
- C. isbik
- D. df-h

Answer: D

NEW QUESTION 64

Which service should be configured to allow BIG-IP devices to be externally monitored?

- A. SSHD
- B. TMSH
- C. SMTP
- D. SNMP

Answer: D

NEW QUESTION 68

A user fails to provide credentials when requesting a web resource that requires authentication. Which HTTP response code does the server send?

- A. HTTP 200
- B. HTTP 302
- C. HTTP 401
- D. HTTP 502

Answer: C

Explanation:

<https://httpstatuses.com/401>

NEW QUESTION 69

in which scenario would an SSL VPN solution have an advantage over an IPSec VPN?

- A. when users are unable to install software on their PC
- B. when users require a secure connection to the corporate network
- C. when users work remotely
- D. when users require the ability to RDP to internal resources

Answer: C

NEW QUESTION 70

Which protocol data unit (PDU) is associated with the OSI model Network layer?

- A. Frame
- B. Packet
- C. Segment
- D. Bit

Answer: B

Explanation:

https://en.wikipedia.org/wiki/Protocol_data-unit

NEW QUESTION 74

An administrator needs to restore the BIG-IP configuration from a UCS file In which section in the BIG IP Configuration utility is this task performed?

- A. System > Archives
- B. System > Services > Backup
- C. System > Backup
- D. System > File Management

Answer: A

NEW QUESTION 76

An administrator security policy defines allowed URLs, file types and parameter values Which security model is the administrator using?

- A. negative security model
- B. Closed security model
- C. positive Security model
- D. ACL Security model

Answer: C

Explanation:

https://www.owasp.org/index.php/Positive_security_model

NEW QUESTION 79

A BIG-IP Administrator configures three Network Time Protocol servers to keep the time of the devices in sync. Which tool should the administrator use to show the synchronization status with the Network Time Protocol servers ?

- A. ntpdate
- B. time
- C. mpa
- D. date

Answer: C

NEW QUESTION 81

in which scenario is a full proxy TCP connection required?

- A. when SSL offloading is used
- B. when Traffic is routed
- C. when administrators manage the servers directly
- D. when 3 server responds directly to the client

Answer: A

NEW QUESTION 84

In which FTP mode is the serve, responsible for initiating the data correction back to the client?

- A. Protected FTP
- B. Active FTP
- C. Secure FTP
- D. Passive FTP

Answer: B

Explanation:

<https://support.f5.com/csp/article/K08859735>

NEW QUESTION 87

A BIG-IP Administrator is cleaning up unused Virtual Servers and pools via the Configuration Utility while trying to delete certain administrator receives an error message that indicates that the pool is in use. What is the likely cause of this error?

- A. The pool members are all disabled
- B. The pool is in use by a Virtual Server
- C. The pool members are marked up with a green circle
- D. The pool is in use by a monitor

Answer: B

NEW QUESTION 92

A BIG IP Administrator wants to add a new VLAN (VLAN 40) to an LACP trunk (named LACP01) connected to the BIG IP device, Multiple other VLANs exist on LACP01. Which TMSH command should the BIG IP Administrator issue to add the new VLAN to the existing LAC?

A BIG IP Administrator wants to add a new VLAN (VLAN 40) to an LACP trunk (named IACP01) connected to the BIG IP device Multiple other VLANs exist on LACP01. Which TMSH command should the BIG IP Administrator issue to add the new VLAN to the existing LAC?

- A. create net vlan VIAN40 (interfaces replace all with {LACP01 (untagged) } } lag 40)
- B. create net vian VLAN40 (interfaces add { LACP01 {tagged} tag JO J
- C. create net vian VLAN40 {interfaces add (LACP01 {untagged}) tag 40}
- D. create net wan VLAN40 {interfaces replace all with {LACP01 {tagged }} lag 40 }

Answer: B

Explanation:

Tagged" VLAN is how F5 refers to a VIAN within an 802.1q trunk. The fact that it is an FS trunk' or an LACP/etherchannel link only changeshowthe interface is referred to in the command.

NEW QUESTION 95

An administrator needs to selectively compress HTTP traffic based on geographical location Which FS Feature should the administrator use?

- A. One Connect
- B. iRules
- C. SPDY profile
- D. iSessions

Answer: B

NEW QUESTION 98

A load balancer receives a TCP SYN packet from a client and immediately sends the packet on to a server. This is an example of which type of solution?

- A. packet forwarding architecture
- B. Full proxy architecture
- C. TCP compression
- D. TCP optimization

Answer: A

NEW QUESTION 99

A BIG-IP Administrator needs to create a route to send traffic destined to 10.1.1 1 to another router with an address of 192 168 1 1 Which TMSH command should the administrator use?

- A. create/net route 10. 11. 1/32 gw 192 168. 1. 1
- B. create met route 192 168. 1. 1/32 gw 10. 11. 1
- C. add met route 192. 168. 1. 1/32 gw 10. 1. 1. 1
- D. add inet route 10.11.1/32 gw 192. 168.1.1

Answer: A

NEW QUESTION 104

What advantage does an active-standby configuration have over an active-active configurations?

- A. Active-standby configuration allows for the backup of the peer configuration
- B. Active-standby utilizes the hardware more efficiently
- C. Active standby Uses significantly less power consumption than active-active
- D. Active-standby is less complex to troubleshoot

Answer: D

NEW QUESTION 105

In an active/standby high-availability mode, what causes a standby unit to assume the active role?

- A. Hashed unit iD
- B. management MAC address
- C. resource utilization
- D. heartbeat detection

Answer: D

Explanation:

<https://supportf5.com/csP/article/K95002127>

NEW QUESTION 108

An application uses a proprietary protocol running over TCP
Which FS BIG-IP feature should the administrator use to modify the protocol?

- A. SPDY
- B. rewrite profile
- C. TCP profile
- D. iRules

Answer: D

NEW QUESTION 111

What is a common use of an iRule?

- A. to modify application traffic between the client and server
- B. to create a reuseable application delivery template
- C. to integrate a BIG IP into an enterprise orchestration tool
- D. to create an accelerated session between two BIG-IP devices

Answer: A

NEW QUESTION 113

An Administrator enables HTTP keep alive. How does this affect the network?

- A. HTTP connections will remain open longer
- B. Fewer TCP connections will need to be opened
- C. HTTP connections will close when the keep-alive times out
- D. More TCP connections will need to be opened

Answer: B

Explanation:

[https //en wikipedia org/wiki/HTTPpersistentconnection](https://en.wikipedia.org/wiki/HTTPpersistentconnection)

NEW QUESTION 118

A device needs to decrypt traffic and send unencrypted traffic to the web server. Which method should the BIG-IP Administrator use?

- A. SSL Optimization
- B. SSL Caching
- C. SSL Termination
- D. SSL Bridging

Answer: C

NEW QUESTION 123

An administrator is designing a remote host connection using an ICMP based network troubleshooting utility and receive an ICMP error diagram with the following error code.

* 11. Times exceeded What does this mean?

- A. A faulty router on the network is unable to process the packet in a timely manner
- B. A switch on the network the frame due to an incorrect checksum
- C. The TTL field of the IP header was set to 255. and this was consequently dropped by a router
- D. The TTL field of the IP header was decremented to 0. and this was consequently dropped by a router

Answer: D

NEW QUESTION 125

What is a benefit of configuring BIG-IP devices in active-active high availability mode?

- A. avoid Overload on the BIG-P system in the event of a failover
- B. allows full utilization of hardware purchased
- C. reduces troubleshooting complexity
- D. provides ability to upgrade a member of the pair without disruption

Answer: B

NEW QUESTION 128

An administrator points the browser at [http://www mydomain com](http://www.mydomain.com). The destination server listens on TCP port 8080 Which feature must be enabled on the virtual server for this configuration to work?

- A. HTTP persistence
- B. source NAT
- C. destination address affinity
- D. port translation

Answer: D

Explanation:

[https://support f5.com/csp/article/K93G17176](https://support.f5.com/csp/article/K93G17176)

NEW QUESTION 132

An administrator encounter an error while working on eBIG.IP device and contacts F5 Support to open a case. While opening the case Support of the administrator that a BIO-IP version update is required.

Which F5 Support policy requires the administrator to upgrade the BIG-IP version.

- A. End of Software Support
- B. End of Support Contact Renewal
- C. End of Technical Support
- D. End of Return to Manufacturing

Answer: A

NEW QUESTION 133

During a TCP three-way handshake, which packet indicates the server's maximum segment (MSS)?

- A. the initial SYN packet
- B. the ACK that completes the three way handshake
- C. the SYN/ACK packet
- D. the first packet after the three-way handshake

Answer: C

NEW QUESTION 136

ARP provides translation between which two address types?

- A. IP addresses and hardware addresses
- B. Hardware addresses and VLAN

- C. VLAN and IP addresses
- D. Hostnames and IP addresses

Answer: A

NEW QUESTION 140

A server is operating on the network 10.100/24. The BIG-IP device is operating on the 192.168.0.0/24 net. What is required to enable the server and BIG-IP device to communicate properly?

- A. Firewall
- B. Switch
- C. Router
- D. Hub

Answer: C

NEW QUESTION 144

Which Data Link sublayer has the primary function of providing node-to-node flow and error control?

- A. LLC
- B. ARP
- C. MAC
- D. UDP

Answer: A

Explanation:

https://en.wikipedia.org/wiki/Logical_link_control

NEW QUESTION 147

A BIG-IP Administrator has a cluster of devices.

What should the administrator do after creating a new Virtual Server on device 1?

- A. synchronize the settings of device 1 to the group
- B. create a new cluster on device 1
- C. create the new virtual server on device 2
- D. synchronize the settings of the group to device 1

Answer: A

NEW QUESTION 151

A user is trying to access a website using the URL <https://1.1.1.1/>. The website fails to load. The user can access other websites. Given the packet capture above, what is the most likely issue?

- A. The remote server is not responding because it is down

- B. The client machine is not 'connected to the internet
- C. The client machine's DNS is configured incorrectly
- D. The remote server is actively rejecting the connection

Answer: D

NEW QUESTION 155

A BIG-P Administrator needs to upload a qkview view to evaluate software upgrade options. Which service should be used?

- A. AskF5
- B. iHeath
- C. DevCentral
- D. F5WedSubOon

Answer: B

NEW QUESTION 157

In an administrator's environment, the administrator wants to inspect a high volume of SSL traffic What should be used for this task?

- A. Big-IP Global Traffic Manager appliance
- B. Big-IP standard virtual edition
- C. Big-IP Local Traffic Manager appliance
- D. Big-IP virtual edition with FIPS

Answer: C

NEW QUESTION 161

An administrator is given the IP Address of 192.168.100.124 and needs 64 subnets. How many hosts per network are allowed?

- A. 4
- B. 8
- C. 6
- D. 2

Answer: D

NEW QUESTION 162

The 2001:db8: : IP6 address block is allocated to a load balancer for use as virtual server addresses. The address block is routed to a balancer self IP address using a static route. What is the correct representation for the last address in the address block that a virtual server can use?

- A. 2001:db8
- B. 2001:db8: : 255
- C. 2001:db8: : ffff:ffff:ffff:fffe
- D. 2001:db8: :ffff:ffff:ffff:ffff

Answer: C

NEW QUESTION 163

What is used to establish trust relationships between BIG-IP devices?

- A. trust ID
- B. device group identification
- C. certificate-based authentication
- D. unit IDs

Answer: C

NEW QUESTION 165

HTTP pool attached to a Virtual Server has three members Pool member A default HTTP monitor in red Pool member 6 custom HTTP monitor in green Pool member C does not monitor

Which pool members participate in the load balancing?

- A. Pool members A and C
- B. Pool members A B and C
- C. Pool members B and C
- D. Pool members A and B

Answer: C

NEW QUESTION 168

Which two OSI layers map lo IP subnetting and TCP window sizing functions? (Choose two)

- A. Application
- B. Data Link
- C. Transport

D. Network Session

Answer: D

NEW QUESTION 171

Which security model provides protection from unknown attacks?

- A. ACL Security model
- B. closed security model
- C. Negative security model
- D. Positive security model

Answer: D

Explanation:

https://www.owasp.org/index.php/Posilrve_security_model

NEW QUESTION 176

An administrator is currently designing the IP addressing scheme for a small company. They have been asked to use the 192. 168. 100 x block of addresses with a /27 network prefix. How many networks and hosts per network will be available when using the 27-bit network prefix.

- A. 255 networks each with 224 hosts
- B. 30 networks each with 8 hosts
- C. 8 networks each with 30 hosts
- D. 27networks each with 30 hosts

Answer: C

NEW QUESTION 181

An administrator needs a data a format that is support authentication against an external security domain. The data format must format support SSO. Which data format should the administrator choose?

- A. AAA
- B. Kerberos
- C. SAML
- D. EAP

Answer: C

NEW QUESTION 186

Which protocol data unit (PDU) is associated with the OSI model's Physical layer?

- A. Frame
- B. Datagram
- C. Segment
- D. Bit

Answer: D

Explanation:

https://en.wikipedia.org/wiki/Protocol_data_unit

NEW QUESTION 187

Which support service is required to synchrony the time stamps in system logs from these devices?

- A. SNMP
- B. Syslong
- C. SMTP
- D. DNS

Answer: B

NEW QUESTION 192

An application has a mix of both and short and long lived connections. Which algorithm would provide and event distributionof all connections across the pool?

- A. Priority group activate
- B. Least connections
- C. Static ration
- D. Round robin

Answer: B

NEW QUESTION 197

Layer 2 mapping information is announced by an interface without receiving a request for the mapping first. Which term describes this event?

- A. ICMP
- B. STP
- C. gratuitous ARP
- D. ARP

Answer: C

NEW QUESTION 200

Which method should an administrator of the BIG-IP use to sync the configuration to only certain other BIG-IPs?

- A. synchronize only certain folders
- B. exclude devices from certain Traffic Groups
- C. exclude devices from certain Sync Groups
- D. exclude devices from certain Device Groups

Answer: C

NEW QUESTION 204

Which protocol data unit (POU) is associated with the OSI model's Network layer

- A. Segment
- B. Datagram
- C. Bit
- D. Frame

Answer: B

NEW QUESTION 207

Pool A has three members. Why is the pool up?

- A. Health monitoring is enabled on only one member
- B. One member has a successful health monitor
- C. Member status is determined by volume of traffic
- D. There is no health monitoring

Answer: B

NEW QUESTION 212

The BIG-IP device has the following configured routes:

Which gateway will be chosen to send the packet to the destination 10.238.10.11?

- A. 192.168.10.20
- B. 192.168.10.40
- C. 192.168.10.30
- D. 192.168.10.10

Answer: A

NEW QUESTION 214

What is used to resolve IP address to MAC address mappings?

- A. DHCP
- B. ARP
- C. DNS
- D. ICMP

Answer: B

Explanation:

https://en.wikipedia.org/wiki/Address_Resolution_Protocol

NEW QUESTION 215

Cryptographic hash functions can be used to provide which service?

- A. data modification
- B. data encryption
- C. data validation
- D. data decryption

Answer: C

Explanation:

https://en.wikipedia.org/wiki/Hash_function

NEW QUESTION 220

A company is creating a new department for Security Engineering and needs to create a segregated network segment with only 24 IPS. What should be configured?

- A. configure a new VLAN and assign a netmask of /29
- B. use an existing VLAN and assign a netmask of /28
- C. use an existing VLAN and assign a netmask of /30
- D. configure a new VLAN and assign a netmask of /27

Answer: D

Explanation:

a /28 contains 14 usable IPs and a /27 contains 30 usable IPs

NEW QUESTION 223

A BIG IP Administrator needs to perform a packet capture and identify the source IP that is connecting to the Virtual Server. Which utility should the administrator use on the BIG IP device?

- A. leinel
- B. traceroute
- C. ping
- D. tcpdump

Answer: D

NEW QUESTION 227

An administrator needs to deploy a VON solution that offers data integrity and origin authentication of IP packets. Which solution the administrator use?

- A. IPSecVPN
- B. PPTP
- C. GRE
- D. SSL VPN

Answer: A

NEW QUESTION 228

Which security mode. functions by defining what traffic is allowed and rejecting all other traffic?

- A. context-based access control mode!
- B. role-based access control mode!
- C. negative security model
- D. positive security model

Answer: D

NEW QUESTION 231

A VoIP application requires that data payloads will NOT be fragmented. Which protocol controls network behavior in this situation?

- A. RTSP
- B. UDP
- C. TCP
- D. IP

Answer: A

NEW QUESTION 234

The use of attack signature within an intrusion Detection System (IDS) is an application of which security model?

- A. Positive

- B. Context-based
- C. Negative
- D. Role-based

Answer: C

Explanation:

[https //www.dosarrpst.com/ddos-blog/the-difference-between-positive-s-negatto-wafi](https://www.dosarrpst.com/ddos-blog/the-difference-between-positive-s-negatto-wafi)

NEW QUESTION 236

If a workstation is configured with an address of 224 0.0.1 which functionality will it allow?

- A. loopback to itself
- B. broadcasting to the local subnet
- C. multicasting to the local subnet
- D. automatic private IP addressing

Answer: C

Explanation:

[https://en wikipedia org/wiki/Multicast_address](https://en.wikipedia.org/wiki/Multicast_address)

NEW QUESTION 241

.....

Relate Links

100% Pass Your 101 Exam with Exam Bible Prep Materials

<https://www.exambible.com/101-exam/>

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>