



LPI

Exam Questions 102-500

LPIC-1 Exam 102 - Part 2 of 2 - version 5.0

NEW QUESTION 1

- (Exam Topic 1)

Which command allows you to make a shell variable visible to subshells?

- A. export \$VARIABLE
- B. export VARIABLE
- C. set \$VARIABLE
- D. set VARIABLE
- E. env VARIABLE

Answer: B

NEW QUESTION 2

- (Exam Topic 1)

Which of the following SQL statements will select the fields name and address from the contacts table?

- A. SELECT (name, address) FROM contacts;
- B. SELECT (name address) FROM contacts;
- C. SELECT name, address FROM contacts;
- D. SELECT name address FROM contacts;

Answer: C

NEW QUESTION 3

- (Exam Topic 1)

Which of the following files, when existing, affect the behavior of the Bash shell? (Choose TWO correct answers.)

- A. ~/.bashconf
- B. ~/.bashrc
- C. ~/.bashdefaults
- D. ~/.bash_etc
- E. ~/.bash_profile

Answer: BE

NEW QUESTION 4

- (Exam Topic 1)

You are looking into a new script you received from your senior administrator. In the very first line you notice a #! followed by a file path. This indicates that:

- A. The file at that location was used to make the script.
- B. This script provides identical functionality as the file at that location.
- C. This script will self-extract into a file at that location.
- D. The program at that location will be used to process the script.

Answer: D

NEW QUESTION 5

- (Exam Topic 1)

When the command echo \$ outputs 1, which of the following statements is true?

- A. It is the process ID of the echo command.
- B. It is the process ID of the current shell.
- C. It is the exit value of the command executed immediately before echo.
- D. It is the exit value of the echo command.

Answer: C

NEW QUESTION 6

- (Exam Topic 1)

Which of the following are requirements in order to run a shell script like a regular command from anywhere in the filesystem? (Choose THREE correct answers.)

- A. The user issuing the command must be in the group script.
- B. The script file must be found in the \$PATH.
- C. The script file must have the executable permission bit set.
- D. The script must begin with a shebang-line (#!) that points to the correct interpreter.
- E. The file system on which the script resides must be mounted with the option scripts.

Answer: BCD

NEW QUESTION 7

- (Exam Topic 1)

What is the purpose of the file /etc/profile?

- A. It contains the welcome message that is displayed after login.
- B. It contains security profiles defining which users are allowed to log in.

- C. It contains environment variables that are set when a user logs in.
- D. It contains default application profiles for users that run an application for the first time.

Answer: C

NEW QUESTION 8

- (Exam Topic 2)

What is the purpose of a screen reader?

- A. It reads text displayed on the screen to blind or visually impaired people.
- B. It reads the parameters of the attached monitors and creates an appropriate X11 configuration.
- C. It displays lines and markers to help people use speed reading techniques.
- D. It manages and displays files that contain e-books.

Answer: A

NEW QUESTION 9

- (Exam Topic 2)

On a system running the KDE Display Manager, when is the `/etc/kde4/kdm/Xreset` script automatically executed?

- A. When KDM starts
- B. When a user's X session exits
- C. When KDM crashes
- D. When X is restarted
- E. When X crashes

Answer: B

NEW QUESTION 10

- (Exam Topic 2)

Why is the `xhost` program considered dangerous to use?

- A. It makes it difficult to uniquely identify a computer on the network.
- B. It allows easy access to your X server by other users.
- C. It logs sensitive information to syslog.
- D. It makes your computer share network resources without any authentication.
- E. It is a graphical DNS tool with known exploits.

Answer: B

NEW QUESTION 10

- (Exam Topic 2)

The X11 configuration file `xorg.conf` is grouped into sections. How is the content of the section `SectionName` associated with that section?

- A. It is placed in curly brackets as in `Section SectionName { ... }`.
- B. It is placed between a line containing `Section "SectionName"` and a line containing `EndSection`.
- C. It is placed between the tags `<Section name="SectionName">` and `</Section>`
- D. It is placed after the row `[SectionName]`.
- E. It is placed after an initial unindented `Section "SectionName"` and must be indented by exactly one tab character.

Answer: B

NEW QUESTION 12

- (Exam Topic 3)

A user was not given permission to use the CRON scheduling system. What file needs to be modified to provide that access? (Please specify the full path to the file)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

`/etc/cron.allow`

NEW QUESTION 17

- (Exam Topic 3)

Which of the following crontab entries will execute `myscript` at 30 minutes past every hour on Sundays?

- A. `0 * * * 30 myscript`
- B. `30 * * * 6 myscript`
- C. `30 0 * * 0 myscript`
- D. `30 0-23 * * 0 myscript`
- E. `0 0-23 * * 30 myscript`

Answer: D

NEW QUESTION 21

- (Exam Topic 3)

Which of the following commands can be used to convert text files in one character encoding to another character encoding?

- A. cat
- B. convert
- C. dd
- D. iconv
- E. utf2utf

Answer: D

NEW QUESTION 23

- (Exam Topic 3)

Where are user specific crontabs stored?

- A. In the database file /etc/crontab.db which is shared by all users.
- B. As individual per-user files within /var/spool/cron.
- C. As individual per-user files in /etc/cron.user.d.
- D. In the .crontab file in the user's home directory.
- E. In the file /var/cron/user-crontab which is shared by all users.

Answer: B

NEW QUESTION 27

- (Exam Topic 3)

Which command can be used to delete a group from a Linux system?

- A. groupdel
- B. groupmod
- C. groups
- D. groupedit

Answer: A

NEW QUESTION 28

- (Exam Topic 3)

What is the conventional purpose of Linux UIDs that are lower than 100?

- A. They are reserved for super user accounts.
- B. They are reserved for the system admin accounts.
- C. They are reserved for system accounts.
- D. They are unused, aside from 0, because they are targets of exploits.
- E. They are used to match with GIDs in grouping users.

Answer: C

NEW QUESTION 29

- (Exam Topic 3)

Each entry in a crontab must end with what character?

- A. Tab
- B. Space
- C. Backslash
- D. Newline

Answer: D

NEW QUESTION 33

- (Exam Topic 3)

A French user has installed the French language pack, but currencies are still being displayed with a leading '\$' sign in his spreadsheets. What must be done to fix this?

- A. Alter the locale.
- B. Set the timezone correctly.
- C. Edit /etc/currency.
- D. Reinstall the French language pack.

Answer: A

NEW QUESTION 34

- (Exam Topic 3)

Which crontab entry could be used to set the system time at regular intervals?

- A. 1 0 * * * date \$d \$t \$24
- B. 1 0 * * * ntpdate ntp1.digex.net

- C. 1 0 * * * date ntp1.digex.net
- D. 1 0 * * * runcron date ntp1.digex.net
- E. 1 0 * * * settime \$d \$t \$24

Answer: B

NEW QUESTION 35

- (Exam Topic 3)

Which of the following commands can remove a user from a group?

- A. grouprm
- B. groupmod
- C. passwd
- D. usergroups
- E. usermod

Answer: E

NEW QUESTION 39

- (Exam Topic 4)

Which of the following are commonly used Mail Transfer Agent (MTA) applications? (Choose THREE correct answers.)

- A. Postfix
- B. Procmail
- C. Sendmail
- D. Exim
- E. SMTPd

Answer: ACD

NEW QUESTION 42

- (Exam Topic 4)

Which of the following is observed and corrected by a NTP client?

- A. The skew in time between the system clock and the hardware clock.
- B. The skew in time between the system clock and the reference clock.
- C. Changes in the time zone of the current computer's location.
- D. Adjustments needed to support Daylight Saving Time.

Answer: B

NEW QUESTION 46

- (Exam Topic 4)

Which of the following are syslog facilities? (Choose TWO correct answers.)

- A. local7
- B. mail
- C. advanced
- D. postmaster
- E. remote

Answer: AB

NEW QUESTION 49

- (Exam Topic 4)

Why is the correct configuration of a system's time zone important?

- A. Because the conversion of Unix timestamps to local time relies on the time zone configuration.
- B. Because the time zone is saved as part of the modification times of files and cannot be changed after a file is created.
- C. Because the environment variables LANG and LC_MESSAGES are, by default, set according to the time zone.
- D. Because NTP chooses servers nearby based on the configured time zone.

Answer: A

NEW QUESTION 54

- (Exam Topic 4)

What is the purpose of the command mailq?

- A. It fetches new emails from a remote server using POP3 or IMAP.
- B. It is a multi-user mailing list manager.
- C. It is a proprietary tool contained only in the qmail MTA.
- D. It queries the mail queue of the local MTA.
- E. It is a command-line based tool for reading and writing emails.

Answer: D

NEW QUESTION 58

- (Exam Topic 4)

What command should be used to print a listing of email in the system's mail queue?

- A. lpq
- B. mailq
- C. mlq
- D. sendmail -l

Answer: B

NEW QUESTION 61

- (Exam Topic 4)

What is true regarding the file ~/.forward?

- A. As it is owned by the MTA and not writable by the user, it must be edited using the editaliases command.
- B. After editing ~/.forward the user must run newaliases to make the mail server aware of the changes.
- C. Using ~/.forward, root may configure any email address whereas all other users may configure only their own addresses.
- D. When configured correctly, ~/.forward can be used to forward each incoming mail to more than one other recipient.

Answer: D

NEW QUESTION 62

- (Exam Topic 4)

Which of the following parameters are used for journalctl to limit the time frame of the output? (Choose TWO correct answers.)

- A. --from=
- B. --since=
- C. --until=
- D. --upto=
- E. --date=

Answer: BC

NEW QUESTION 66

- (Exam Topic 4)

Which command, available with all MTAs, is used to list the contents of the MTA's mail queue? (Specify ONLY the command without any path or parameters.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

mailq, /usr/bin/mailq, sendmail -bp, /usr/sbin/sendmail -bp, /usr/lib/sendmail -bp, sendmail, /usr/sbin/sendmail, /usr/lib/sendmail

NEW QUESTION 67

- (Exam Topic 4)

What entry can you add to syslog.conf file to have all syslog messages generated by your system go to virtual console 12?

- A. *.* /dev/tty12
- B. /var/log/messages | /dev/tty12
- C. | /dev/tty12
- D. syslog tty12
- E. mail.* /dev/tty12

Answer: A

NEW QUESTION 68

- (Exam Topic 5)

Which of the following details is NOT provided in any output from the netstat utility?

- A. broadcast services
- B. interface statistics
- C. masquerading connections
- D. network connections
- E. routing tables

Answer: A

NEW QUESTION 69

- (Exam Topic 5)

Which of the following is a valid IPv6 address?

- A. 2001:db8:3241::1

- B. 2001::db8:4581::1
- C. 2001:db8:0g41::1
- D. 2001%db8%9990%%%1
- E. 2001.db8.819f..1

Answer: A

NEW QUESTION 72

- (Exam Topic 5)

Which of the following keywords can be used in the file `/etc/nsswitch.conf` to specify a source for host name lookups? (Choose TWO correct answers.)

- A. resolv
- B. dns
- C. remote
- D. files
- E. hosts

Answer: BD

NEW QUESTION 76

- (Exam Topic 5)

Which of the following IPv4 networks are reserved by IANA for private address assignment and private routing? (Choose THREE correct answers.)

- A. 127.0.0.0/8
- B. 10.0.0.0/8
- C. 169.255.0.0/16
- D. 172.16.0.0/12
- E. 192.168.0.0/16

Answer: BDE

NEW QUESTION 78

- (Exam Topic 5)

Which of the following commands can be used to display the local routing table? (Choose TWO correct answers.)

- A. ifconfig
- B. dig
- C. netstat
- D. route
- E. trackroute

Answer: CD

NEW QUESTION 83

- (Exam Topic 5)

Which of the following statements is valid in the file `/etc/nsswitch.conf`?

- A. multi on
- B. 192.168.168.4 dns-server
- C. hosts: files dns
- D. include `/etc/nsswitch.d/`

Answer: C

NEW QUESTION 85

- (Exam Topic 6)

In an `xinetd` configuration file, which attribute specifies the network address that will be used to provide the service?

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

bind, interface

NEW QUESTION 88

- (Exam Topic 6)

What is a purpose of an SSH host key?

- A. It must be sent by any SSH client in addition to a user key in order to identify the client's host.
- B. It provides the server's identity information to connecting SSH clients.
- C. It is the root key by which all user SSH keys must be signed.
- D. It authenticates any user that logs into a remote machine from the key's host.
- E. It is used by system services like cron, syslog or a backup job to automatically connect to remote hosts.

Answer:

B

NEW QUESTION 91

- (Exam Topic 6)

Which file contains a set of services and hosts that will be allowed to connect to the server by going through a TCP Wrapper program such as tcpd? (Specify the full name of the file, including path.)<https://lh3.googleusercontent.com/-5cd-clmKnbk/AAAAAAAAAAI/AAAAAAAAADM/-SXesH19ldo/s4>

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/etc/hosts.allow

NEW QUESTION 92

- (Exam Topic 6)

The presence of what file will temporarily prevent all users except root from logging into the system? (Specify the full name of the file, including path.)

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

/etc/nologin

NEW QUESTION 96

.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

102-500 Practice Exam Features:

- * 102-500 Questions and Answers Updated Frequently
- * 102-500 Practice Questions Verified by Expert Senior Certified Staff
- * 102-500 Most Realistic Questions that Guarantee you a Pass on Your First Try
- * 102-500 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

100% Actual & Verified — Instant Download, Please Click
[Order The 102-500 Practice Test Here](#)